




修订 REV	标记 MARK	修改摘要 REVISION DESCRIPTION	签名 SIGNATURE	日期 DATE
A0		NEW RELEASE	WANG	2019-04-12





SEC:A-A



SEC:B-B



Ø1.82



Ordering information & Specifications

Unit:mm

Part No	Wire Range	Insultion O.D.	Material	Finish	Qty/reel
HDGC3681F-TP-A	AWG#20-#24	1.85mm(max)	Phosphor Bronze	Tin over Nickel	8,000 PCS
HDGC3681F-GP-A	AWG#20-#24	1.85mm(max)	Phosphor Bronze	Gold over Nickel	8,000 PCS
HDGC3681F-TB-A	AWG#20-#24	1.85mm(max)	Brass	Tin over Nickel	8,000 PCS
HDGC3681F-GB-A	AWG#20-#24	1.85mm(max)	Brass	Gold over Nickel	8,000 PCS

Optional Gold plating available but MOQ requested






深圳市华德共创科技有限公司

SHENZHEN HUADE CO-CREATE TECHNOLOGY CO.,LTD


TEL : 0755-27129737 FAX : 0755-29940187

-TOLERANCES- UNLESS OTHERWISE SPECIFIED 公差参数表				TITLE: 产品名称: 3.68mm Pitch Crimp Terminal			
X.X	±0.30	X.X°	±3°	APPD: 核准:	XIE		
X.XX	±0.30	X.XX°	±2°	CHECK: 校对:	WANG		
X.XXX	±0.10	X.XXX°	±1°	DRAW: 绘图:	WANG		
				PART NO: 产品编号:	HDGC3681F-T-A		
				DATE	SCALE	UNIT	CODE NUMBER
				2019-04-12	5:1	mm	A008


修订 REV	标记 MARK	修改摘要 REVISION DESCRIPTION	签名 SIGNATURE	日期 DATE
A0		NEW RELEASE	WANG	2019-04-12



SEC:A-A



SEC:B-B



Ordering information & Specifications

Unit:mm

Part No	Wire Range	Insultion O.D.	Material	Finish	Qty/reel
HDGC3681M-TP-A	AWG#20-#24	1.85mm(max)	Phosphor Bronze	Tin over Nickel	8,000 PCS
HDGC3681M-GP-A	AWG#20-#24	1.85mm(max)	Phosphor Bronze	Gold over Nickel	8,000 PCS
HDGC3681M-TB-A	AWG#20-#24	1.85mm(max)	Brass	Tin over Nickel	8,000 PCS
HDGC3681M-GB-A	AWG#20-#24	1.85mm(max)	Brass	Gold over Nickel	8,000 PCS



深圳市华德共创科技有限公司

SHENZHEN HUADE CO-CREATE TECHNOLOGY CO.,LTD

TEL : 0755-27129737




FAX : 0755-29940187

-TOLERANCES- UNLESS OTHERWISE SPECIFIED 公差参数表				TITLE: 产品名称 : 3.68mm Pitch Crimp Terminal			
X.X	± 0.30	X.X°	$\pm 3^\circ$	APPD: 核准 : XIE	PART NO: 产品编号 : HDGC3681M-T-A		
X.XX	± 0.30	X.XX°	$\pm 2^\circ$	CHECK: 校对 : WANG	DATE	SCALE	UNIT
X.XXX	± 0.10	X.XXX°	$\pm 1^\circ$	DRAW: 绘图 : WANG	2019-04-12	5:1	mm


CODE NUMBER

A008


修订 REV	标记 MARK	修改摘要 REVISION DESCRIPTION	签名 SIGNATURE	日期 DATE
A0		NEW RELEASE	WANG	2019-04-12



SEC:A-A



SEC:B-B



Ordering information & Specifications

Part No	Wire Range	Insulation O.D.	Material	Finish	Qty/reel
HDGC3681F-TP-B	AWG#20-#24	1.85mm(max)	Phosphor Bronze	Tin over Nickel	8,000 PCS
HDGC3681F-GP-B	AWG#20-#24	1.85mm(max)	Phosphor Bronze	Gold over Nickel	8,000 PCS
HDGC3681F-TB-B	AWG#20-#24	1.85mm(max)	Brass	Tin over Nickel	8,000 PCS
HDGC3681F-GB-B	AWG#20-#24	1.85mm(max)	Brass	Gold over Nickel	8,000 PCS

Optional Gold plating available but MOQ requested






深圳市华德共创科技有限公司

SHENZHEN HUADE CO-CREATE TECHNOLOGY CO.,LTD


TEL : 0755-27129737 FAX : 0755-29940187

-TOLERANCES- UNLESS OTHERWISE SPECIFIED 公差参数表				TITLE: 产品名称: 3.68mm Pitch Crimp Terminal	
X.X	±0.30	X.X°	±3°	APPD: 核准: XIE	PART NO: 产品编号: HDGC3681F-T-B
X.XX	±0.30	X.XX°	±2°	CHECK: 校对: WANG	DATE
X.XXX	±0.10	X.XXX°	±1°	DRAW: 绘图: WANG	SCALE
				UNIT	CODE NUMBER
				2019-04-12	A008


修订 REV	标记 MARK	修改摘要 REVISION DESCRIPTION	签名 SIGNATURE	日期 DATE
A0		NEW RELEASE	WANG	2019-04-12



SEC:A-A



SEC:B-B



Ordering information & Specifications

Part No	Wire Range	Insulation O.D.	Material	Finish	Qty/reel
HDGC3681M-TP-B	AWG#20-#24	1.85mm(max)	Phosphor Bronze	Tin over Nickel	8,000 PCS
HDGC3681M-GP-B	AWG#20-#24	1.85mm(max)	Phosphor Bronze	Gold over Nickel	8,000 PCS
HDGC3681M-TB-B	AWG#20-#24	1.85mm(max)	Brass	Tin over Nickel	8,000 PCS
HDGC3681M-GB-B	AWG#20-#24	1.85mm(max)	Brass	Gold over Nickel	8,000 PCS

Unit:mm








深圳市华德共创科技有限公司

SHENZHEN HUADE CO-CREATE TECHNOLOGY CO.,LTD

TEL : 0755-27129737 FAX : 0755-29940187

-TOLERANCES- UNLESS OTHERWISE SPECIFIED 公差参数表				TITLE: 产品名称: 3.68mm Pitch Crimp Terminal	
X.X	± 0.30	X.X°	$\pm 3^\circ$	APPD: 核准: XIE	PART NO: 产品编号: HDGC3681M-T-B
X.XX	± 0.30	X.XX°	$\pm 2^\circ$	CHECK: 校对: WANG	DATE
X.XXX	± 0.10	X.XXX°	$\pm 1^\circ$	DRAW: 绘图: WANG	SCALE
					UNIT
					CODE NUMBER
					A008

修订 REV	标记 MARK	修改摘要 REVISION DESCRIPTION	签名 SIGNATURE	日期 DATE
A0		NEW RELEASE	WANG	2019-04-12



Ordering information & Specifications

Part No	Wire Range	Insulation O.D.	Material	Finish	Qty/reel
HDGC3681M-TP-B-L	AWG#24-#30	1.57mm(max)	Phosphor Bronze	Tin over Nickel	8,000 PCS
HDGC3681M-GP-B-L	AWG#24-#30	1.57mm(max)	Phosphor Bronze	Gold over Nickel	8,000 PCS
HDGC3681M-TB-B-L	AWG#24-#30	1.57mm(max)	Brass	Tin over Nickel	8,000 PCS
HDGC3681M-GB-B-L	AWG#24-#30	1.57mm(max)	Brass	Gold over Nickel	8,000 PCS

Unit:mm



深圳市华德共创科技有限公司


SHENZHEN HUADE CO-CREATE TECHNOLOGY CO.,LTD

TEL : 0755-27129737 FAX : 0755-29940187

-TOLERANCES- UNLESS OTHERWISE SPECIFIED 公差参数表				TITLE: 产品名称: 3.68mm Pitch Crimp Terminal			
X.X	±0.30	X.X°	±3°	APPD: 核准: XIE	PART NO: 产品编号: HDGC3681M-T-B-L		
X.XX	±0.30	X.XX°	±2°	CHECK: 校对: WANG	DATE	SCALE	UNIT
X.XXX	±0.10	X.XXX°	±1°	DRAW: 绘图: WANG	2019-04-12	5:1	mm
				CODE NUMBER A008			


A B C D E F

修订 REV	标记 MARK	修改摘要 REVISION DESCRIPTION	签名 SIGNATURE	日期 DATE
A0		NEW RELEASE	WANG	2019-04-12




SPECIFICATIONS:

Current Rating:5A AC,DC
Voltage Rating: 250V AC,DC
Temperature Range: -25°C ~ +85°C
Contact Resistance: 10mΩ Max
Insulation Resistance: 1000MΩ Min
Withstanding Voltage: 1500V AC/minute
Material: Nylon 66,UL94V-2(Natural)



HDGC 深圳市华德共创科技有限公司 SHENZHEN HUADE CO-CREATE TECHNOLOGY CO.,LTD TEL : 0755-27129737 FAX : 0755-29940187											
-TOLERANCES- UNLESS OTHERWISE SPECIFIED 公差参数表						TITLE: 3.68mm Pitch 产品名称: Housing					
X.X	±0.30	X.X°	±3°	APPD: 核准:	XIE	PART NO: 产品编号:		HDGC3681HM-1P			
X.XX	±0.30	X.XX°	±2°	CHECK: 校对:	WANG	DATE	SCALE	UNIT	CODE NUMBER		
X.XXX	±0.10	X.XXX°	±1°	DRAW: 绘图:	WANG	2019-04-12	5:1	mm	A008		


A B C D E F



修订 REV	标记 MARK	修改摘要 REVISION DESCRIPTION	签名 SIGNA TURE	日期 DATE
A0		NEW RELEASE	WANG	2019-04-12



HDGC 深圳市华德共创科技有限公司 SHENZHEN HUADE CO-CREATE TECHNOLOGY CO.,LTD TEL : 0755-27129737 FAX : 0755-29940187									
-TOLERANCES- UNLESS OTHERWISE SPECIFIED 公差参数表						TITLE: 3.68mm Pitch Housing			
X.X	±0.30	X.X°	±3°	APPD: 核准:	XIE	PART NO: HDGC3681HF-1P			
X.XX	±0.30	X.XX°	±2°	CHECK: 校对:	WANG	DATE	SCALE	UNIT	CODE NUMBER
X.XXX	±0.10	X.XXX°	±1°	DRAW: 绘图:	WANG	2019-04-12	5:1	mm	A008

修订 REV	标记 MARK	修改摘要 REVISION DESCRIPTION	签名 SIGNATURE	日期 DATE
A0		NEW RELEASE	WANG	2019-04-12



Ordering Information:
HDGC3681HFB-XP - **
1 2

1.Part No.
2.Material:
(blank):UL94V-2/Natural
V0:UL94V-0/White




SPECIFICATIONS:


Current Rating:5A AC,DC
Voltage Rating: 250V AC,DC
Temperature Range:-25°C ~ +85°C
Contact Resistance: 10mΩ Max
Insulation Resistance: 1000MΩ Min
Withstanding Voltage: 1500V AC/minute
Material: Nylon 66,UL94V-2(Natural)

Ordering Information & Dimensions

Circuits	Dimensions(mm)		Circuits	Dimensions(mm)	
	A	B		A	B
2P	3.68	8.62	2x3P	11.04	15.98
3P	7.36	12.30	2x3P	14.72	19.66



		深 圳 市 华 德 共 创 科 技 有 限 公 司							
		SHENZHEN HUADE CO-CREATE TECHNOLOGY CO.,LTD							
		TEL : 0755-27129737			FAX : 0755-29940187				
-TOLERANCES- UNLESS OTHERWISE SPECIFIED 公差参数表				TITLE: 产品名称 :		3.68mm Pitch Housing			
X.X	±0.30	X.X°	±3°	APPD: 核准: XIE		PART NO: 产品编号 :			
X.XX	±0.30	X.XX°	±2°	CHECK: 校对: WANG		DATE	SCALE	UNIT	CODE NUMBER
X.XXX	±0.10	X.XXX°	±1°	DRAW: 绘图: WANG		2019-04-12	2.5:1	mm	A008

修订 REV	标记 MARK	修改摘要 REVISION DESCRIPTION	签名 SIGNATURE	日期 DATE
A0		NEW RELEASE	WANG	2019-04-12



Ordering Information:
HDGC3681HMB-XP - **
1 2

1.Part No.
2.Material:
(blank):UL94V-2/Natural
V0:UL94V-0/White



SPECIFICATIONS:

Current Rating:5A AC,DC
Voltage Rating: 250V AC,DC
Temperature Range:-25°C ~ +85°C
Contact Resistance: 10mΩ Max
Insulation Resistance: 1000MΩ Min
Withstanding Voltage: 1500V AC/minute
Material: Nylon 66,UL94V-2(Natural)

Ordering Information & Dimensions

Circuits	Dimensions(mm)			Circuits	Dimensions(mm)		
	A	B	C		A	B	C
2P	3.68	11.32	8.72	4P	11.04	18.68	16.08
3P	7.36	15.00	12.40	5P	14.72	22.36	19.76




深圳市华德共创科技有限公司

SHENZHEN HUADE CO-CREATE TECHNOLOGY CO.,LTD



TEL : 0755-27129737 FAX : 0755-29940187

-TOLERANCES- UNLESS OTHERWISE SPECIFIED 公差参数表						TITLE: 3.68mm Pitch Housing 产品名称:			
X.X	±0.30	X.X°	±3°	APPD: 核准:	XIE	PART NO: HDGC3681HMB-XP 产品编号:			
X.XX	±0.30	X.XX°	±2°	CHECK: 校对:	WANG	DATE	SCALE	UNIT	CODE NUMBER
X.XXX	±0.10	X.XXX°	±1°	DRAW: 绘图:	WANG	2019-04-12	2.5:1	mm	A008

修订 REV	标记 MARK	修改摘要 REVISION DESCRIPTION	签名 SIGNATURE	日期 DATE
A0		NEW RELEASE	WANG	2019-04-12



Ordering Information:
HDGC3681HFC-XP - ^{**}/₂
1
1.Part No.
2.Material:
(blank):UL94V-2/Natural
V0:UL94V-0/White



SPECIFICATIONS:

Current Rating:5A AC,DC
Voltage Rating: 250V AC,DC
Temperature Range: -25°C ~ +85°C
Contact Resistance: 10mΩ Max
Insulation Resistance: 1000MΩ Min
Withstanding Voltage: 1500V AC/minute
Material: Nylon 66,UL94V-2(Natural)

Ordering Information & Dimensions

Circuits	Dimensions(mm)		Circuits	Dimensions(mm)	
	A	B		A	B
2P	3.68	8.62	4P	11.04	15.98
3P	7.36	12.30	5P	14.72	19.66




深圳市华德共创科技有限公司

SHENZHEN HUADE CO-CREATE TECHNOLOGY CO.,LTD

TEL : 0755-27129737 FAX : 0755-29940187



-TOLERANCES- UNLESS OTHERWISE SPECIFIED 公差参数表					TITLE: 3.68mm Pitch 产品名称：Housing			
X.X	±0.30	X.X° ±3°	APPD: 核准：	XIE	PART NO: 产品编号：		HDGC3681HFC-XP	
X.XX	±0.30	X.XX° ±2°	CHECK: 校对：	WANG	DATE	SCALE	UNIT	CODE NUMBER
X.XXX	±0.10	X.XXX° ±1°	DRAW: 绘图：	WANG	2019-04-12	3:1	mm	A008

修订 REV	标记 MARK	修改摘要 REVISION DESCRIPTION	签名 SIGNATURE	日期 DATE
A0		NEW RELEASE	WANG	2019-04-12



Ordering Information:
HDGC3681HMC-XP - **
1 2

1.Part No.
2.Material:
(blank):UL94V-2/Natural
V0:UL94V-0/White



SPECIFICATIONS:

Current Rating:5A AC,DC
Voltage Rating: 250V AC,DC
Temperature Range:-25°C ~ +85°C
Contact Resistance: 10mΩ Max
Insulation Resistance: 1000MΩ Min
Withstanding Voltage: 1500V AC/minute
Material: Nylon 66,UL94V-2(Natural)

Ordering Information & Dimensions

Circuits	Dimensions(mm)			Circuits	Dimensions(mm)		
	A	B	C		A	B	C
2P	3.68	11.32	8.72	4P	11.04	18.68	16.08
3P	7.36	15.00	12.40	5P	14.72	22.36	19.76




深圳市华德共创科技有限公司

SHENZHEN HUADE CO-CREATE TECHNOLOGY CO.,LTD

TEL : 0755-27129737 FAX : 0755-29940187


-TOLERANCES- UNLESS OTHERWISE SPECIFIED 公差参数表						TITLE: 3.68mm Pitch Housing 产品名称:			
X.X	±0.30	X.X°	±3°	APPD: 核准:	XIE	PART NO: HDGC3681HMC-XP 产品编号:			
X.XX	±0.30	X.XX°	±2°	CHECK: 校对:	WANG	DATE	SCALE	UNIT	CODE NUMBER
X.XXX	±0.10	X.XXX°	±1°	DRAW: 绘图:	WANG	2019-04-12	3:1	mm	A008

修订 REV	标记 MARK	修改摘要 REVISION DESCRIPTION	签名 SIGNATURE	日期 DATE
A0		NEW RELEASE	WANG	2019-04-12



Ordering Information:
HDGC3681HFB-2xXP - **
1 2

- 1.Part No.
2.Material:
(blank):UL94V-2/Natural
V0:UL94V-0/White



SPECIFICATIONS:

Current Rating:5A AC,DC
Voltage Rating: 250V AC,DC
Temperature Range:-25°C ~ +85°C
Contact Resistance: 10mΩ Max
Insulation Resistance: 1000MΩ Min
Withstanding Voltage: 1500V AC/minute
Material: Nylon 66,UL94V-2(Natural)

Ordering Information & Dimensions

Circuits	Dimensions(mm)		Circuits	Dimensions(mm)	
	A	B		A	B
2x2P	3.68	8.78	2x3P	7.36	12.46





深圳市华德共创科技有限公司

SHENZHEN HUADE CO-CREATE TECHNOLOGY CO.,LTD

TEL : 0755-27129737 FAX : 0755-29940187




-TOLERANCES- UNLESS OTHERWISE SPECIFIED 公差参数表				TITLE: 产品名称: 3.68mm Pitch Housing	
X.X	±0.30	X.X°	±3°	APPD: 核准:	XIE
X.XX	±0.30	X.XX°	±2°	CHECK: 校对:	WANG
X.XXX	±0.10	X.XXX°	±1°	DRAW: 绘图:	WANG
				DATE	2019-04-12
				SCALE	2.5:1
				UNIT	mm
				CODE NUMBER	A008

修订 REV	标记 MARK	修改摘要 REVISION DESCRIPTION	签名 SIGNATURE	日期 DATE
A0		NEW RELEASE	WANG	2019-04-12



Ordering Information:
HDGC3681HMC-2xXP - **
 1 2

1.Part No.
 2.Material:
 (blank):UL94V-2/Natural
 V0:UL94V-0/White



SPECIFICATIONS:
 Current Rating:5A AC,DC
 Voltage Rating: 250V AC,DC
 Temperature Range: -25°C ~ +85°C
 Contact Resistance: 10mΩ Max
 Insulation Resistance: 1000MΩ Min
 Withstanding Voltage: 1500V AC/minute
 Material: Nylon 66,UL94V-2(Natural)

Ordering Information & Dimensions

Circuits	Dimensions(mm)			Circuits	Dimensions(mm)		
	A	B	C		A	B	C
2x2P	3.68	11.30	8.70	2x3P	7.36	15.00	12.38





深圳市华德共创科技有限公司

SHENZHEN HUADE CO-CREATE TECHNOLOGY CO.,LTD

TEL : 0755-27129737 FAX : 0755-29940187

-TOLERANCES- UNLESS OTHERWISE SPECIFIED 公差参数表					TITLE: 3.68mm Pitch 产品名称: Housing			
X.X	±0.30	X.X°	±3°	APPD: 核准: XIE	PART NO: HDGC3681HMC-2xXP 产品编号:			
X.XX	±0.30	X.XX°	±2°	CHECK: 校对: WANG	DATE	SCALE	UNIT	CODE NUMBE
X.XXX	±0.10	X.XXX°	±1°	DRAW: 绘图: WANG	2019-04-12	2.5:1	mm	A008

修订 REV	标记 MARK	修改摘要 REVISION DESCRIPTION	签名 SIGNATURE	日期 DATE
A0		NEW RELEASE	WANG	2019-04-12



Panel hole layout

Ordering Information:



HDGC3681HMB-2x2P - ^{**}/₂

1.Part No.

2.Material:

(blank):UL94V-2/Natural

V0:UL94V-0/White



SPECIFICATIONS:

Current Rating:5A AC,DC

Voltage Rating: 250V AC,DC


Temperature Range: -25°C ~ +85°C

Contact Resistance: 10mΩ Max


Insulation Resistance: 1000MΩ Min

Withstanding Voltage: 1500V AC/minute

Material: Nylon 66,UL94V-2

				深圳市华德共创科技有限公司			
SHENZHEN HUADE CO-CREATE TECHNOLOGY CO.,LTD				TEL : 0755-27129737 FAX : 0755-29940187			
-TOLERANCES- UNLESS OTHERWISE SPECIFIED 公差参数表					TITLE: 3.68mm Pitch Housing 产品名称:		
X.X	±0.30	X.X°	±3°	APPD: 核准:	XIE	PART NO: 产品编号:	
X.XX	±0.30	X.XX°	±2°	CHECK: 校对:	WANG	DATE	SCALE
X.XXX	±0.10	X.XXX°	±1°	DRAW: 绘图:	WANG	2019-04-12	UNIT
						mm	CODE NUMBER
							A008

修订 REV	标记 MARK	修改摘要 REVISION DESCRIPTION	签名 SIGNATURE	日期 DATE
A0		NEW RELEASE	WANG	2019-04-12



Ordering Information:
HDGC3681HFB-3xXP - ^{**}/_{1 2}



- 1.Part No.
- 2.Material:
 (blank):UL94V-2/Natural
 V0:UL94V-0/White

SPECIFICATIONS:

Current Rating:5A AC,DC
 Voltage Rating: 250V AC,DC
 Temperature Range:-25°C ~ +85°C
 Contact Resistance: 10mΩ Max
 Insulation Resistance: 1000MΩ Min
 Withstanding Voltage: 1500V AC/minute
 Material: Nylon 66,UL94V-2(Natural)

Ordering Information & Dimensions

Circuits	Dimensions(mm)		Circuits	Dimensions(mm)	
	A	B		A	B
3x3P	7.36	12.30	3x5P	14.72	19.66
3x4P	11.04	15.98			



深圳市华德共创科技有限公司

SHENZHEN HUADE CO-CREATE TECHNOLOGY CO.,LTD


TEL : 0755-27129737 FAX : 0755-29940187

-TOLERANCES- UNLESS OTHERWISE SPECIFIED 公差参数表						TITLE: 3.68mm Pitch Housing 产品名称:			
X.X	±0.30	X.X°	±3°	APPD: 核准:	XIE	PART NO: HDGC3681HFB-3x3P 产品编号:			
X.XX	±0.30	X.XX°	±2°	CHECK: 校对:	WANG	DATE	SCALE	UNIT	CODE NUMBER
X.XXX	±0.10	X.XXX°	±1°	DRAW: 绘图:	WANG	2019-04-12	2.5:1	mm	A008

修订 REV	标记 MARK	修改摘要 REVISION DESCRIPTION	签名 SIGNATURE	日期 DATE
A0		NEW RELEASE	WANG	2019-04-12

Ordering Information:
HDGC3681HMB-3xXP - **
1 2

1.Part No.
2.Material:
(blank):UL94V-2/Natural
V0:UL94V-0/White



SPECIFICATIONS:

Current Rating:5A AC,DC
Voltage Rating: 250V AC,DC
Temperature Range:-25°C ~ +85°C
Contact Resistance: 10mΩ Max
Insulation Resistance: 1000MΩ Min
Withstanding Voltage: 1500V AC/minute
Material: Nylon 66,UL94V-2

Panel hole layout

Ordering Information & Dimensions

Circuits	Dimensions(mm)			Circuits	Dimensions(mm)		
	A	B	C		A	B	C
3x2P	3.68	11.32	8.72	3x4P	11.04	18.68	16.08
3x3P	7.36	15.00	12.40	3x5P	14.72	22.36	19.76




深圳市华德共创科技有限公司

SHENZHEN HUADE CO-CREATE TECHNOLOGY CO.,LTD

TEL : 0755-27129737 FAX : 0755-29940187



-TOLERANCES- UNLESS OTHERWISE SPECIFIED 公差参数表				TITLE: 产品名称: 3.68mm Pitch Housing	
X.X	±0.30	X.X°	±3°	APPD: 核准:	XIE
X.XX	±0.30	X.XX°	±2°	CHECK: 校对:	WANG
X.XXX	±0.10	X.XXX°	±1°	DRAW: 绘图:	WANG
				PART NO: 产品编号:	HDGC3681HMB-3xXP
		DATE	SCALE	UNIT	CODE NUMBER
		2019-04-12	2.5:1	mm	A008

修订 REV	标记 MARK	修改摘要 REVISION DESCRIPTION	签名 SIGNATURE	日期 DATE
A0		NEW RELEASE	WANG	2019-04-12



Ordering Information:
HDGC3681HFC-3xXP - **
1 2

1.Part No.
2.Material:
(blank):UL94V-2/Natural
V0:UL94V-0/White



SPECIFICATIONS:
Current Rating:5A AC,DC
Voltage Rating: 250V AC,DC
Temperature Range: -25°C ~ +85°C
Contact Resistance: 10mΩ Max
Insulation Resistance: 1000MΩ Min
Withstanding Voltage: 1500V AC/minute
Material: Nylon 66,UL94V-2(Natural)

Ordering Information & Dimensions

Circuits	Dimensions(mm)		Circuits	Dimensions(mm)	
	A	B		A	B
3x3P	7.36	12.30	3x5P	14.72	19.66
3x4P	11.04	15.98			




深圳市华德共创科技有限公司

SHENZHEN HUADE CO-CREATE TECHNOLOGY CO.,LTD

TEL : 0755-27129737 FAX : 0755-29940187



-TOLERANCES- UNLESS OTHERWISE SPECIFIED 公差参数表					TITLE: 3.68mm Pitch 产品名称: Housing			
X.X	±0.30	X.X° ±3°	APPD: 核准:	XIE	PART NO: HDGC3681HFC-3xXP 产品编号:			
X.XX	±0.30	X.XX° ±2°	CHECK: 校对:	WANG	DATE	SCALE	UNIT	CODE NUMBER
X.XXX	±0.10	X.XXX° ±1°	DRAW: 绘图:	WANG	2019-04-12	2.5:1	mm	A008

修订 REV	标记 MARK	修改摘要 REVISION DESCRIPTION	签名 SIGNATURE	日期 DATE
A0		NEW RELEASE	WANG	2019-04-12



Ordering Information:
HDGC3681HMC-3xXP - **
1 2

1.Part No.
2.Material:
(blank):UL94V-2/Natural
V0:UL94V-0/White



SPECIFICATIONS:

Current Rating:5A AC,DC
Voltage Rating: 250V AC,DC
Temperature Range:-25°C ~ +85°C
Contact Resistance: 10mΩ Max
Insulation Resistance: 1000MΩ Min
Withstanding Voltage: 1500V AC/minute
Material: Nylon 66,UL94V-2(Natural)

Ordering Information & Dimensions

Circuits	Dimensions(mm)			Circuits	Dimensions(mm)		
	A	B	C		A	B	C
3x3P	7.36	15.00	12.40	3x5P	14.72	22.36	19.76
3x4P	11.04	18.68	16.08				



深圳市华德共创科技有限公司

SHENZHEN HUADE CO-CREATE TECHNOLOGY CO.,LTD

TEL : 0755-27129737 FAX : 0755-29940187

-TOLERANCES- UNLESS OTHERWISE SPECIFIED 公差参数表					TITLE: 产品名称：3.68mm Pitch Housing			
X.X	±0.30	X.X° ±3°	APPD: 核准：	XIE	PART NO: 产品编号：		HDGC3681HMC-3xXP	
X.XX	±0.30	X.XX° ±2°	CHECK: 校对：	WANG	DATE	SCALE	UNIT	CODE NUMBER
X.XXX	±0.10	X.XXX° ±1°	DRAW: 绘图：	WANG	2019-04-12	2.5:1	mm	A008